# U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY National Flood Insurance Program

### **ELEVATION CERTIFICATE**

Important: Read the instructions on pages 1-9.

OMB No. 1660-0008 Expiration Date: July 31, 2015

	FOR INSURANCE COMPANY USE					
A1. Building Owner's Name JOHN BUSH	Policy Number:					
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 168 COMMERCE STREET	Company NAIC Number:					
City GRETNA State LA ZIP Code 70056	,					
A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) LOT 24, SQUARE 1, TIMBERLANE ESTATES & COUNTRY CLUB						
A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance.  A7. Building Diagram Number 1A  A8. For a building with a crawlspace or enclosure(s):  a) Square footage of crawlspace or enclosure(s)  b) Number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade  c) Total net area of flood openings? ☐ Yes ☒ No  A9. For a building with an attach and the properties of	ached garage 540 sq ft t flood openings in the attached garage adjacent grade 0 d openings in A9.b 0 sq in enings?					
SECTION B – FLOOD INSURANCE RATE MAP (FIRM) INFORMATION	JN					
B1. NFIP Community Name & Community Number CITY OF GRETNA 225198  B2. County Name JEFFERSON PARISH	B3. State LA					
B4. Map/Panel Number         B5. Suffix         B6. FIRM Index Date         B7. FIRM Panel Effective/Revised Date         B8. Flood Zone(s)           22051C         0145         E         03-23-95         03-23-95         AE	B9. Base Flood Elevation(s) (Zone AO, use base flood depth) -1.50					
☐ FIS Profile ☐ FIRM ☐ Community Determined ☐ Other/Source:  B11. Indicate elevation datum used for BFE in Item B9: ☐ NGVD 1929 ☐ NAVD 1988 ☐ Other/Source:  B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? ☐ Yes ☐ No Designation Date: ☐ CBRS ☐ OPA						
SECTION C – BUILDING ELEVATION INFORMATION (SURVEY REQUI	DED/					
CECTION O DOLLDING ELEVATION IN COMMANDON (CONVEY INLEGE)	KED)					
C1. Building elevations are based on: ☐ Construction Drawings* ☐ Building Under Construction*  *A new Elevation Certificate will be required when construction of the building is complete.  C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/A below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters.  Benchmark Utilized: GPS OBSERVATIONS Vertical Datum: NAVD88 (2009.55) GEOID12B Indicate elevation datum used for the elevations in items a) through h) below. ☑ NGVD 1929 ☐ NAVD 1988 ☐ Of Datum used for building elevations must be the same as that used for the BFE.	Finished Construction AH, AR/AO. Complete Items C2.a-h ther/Source:					
C1. Building elevations are based on: ☐ Construction Drawings* ☐ Building Under Construction*  *A new Elevation Certificate will be required when construction of the building is complete.  C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/A below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters.  Benchmark Utilized: GPS OBSERVATIONS Vertical Datum: NAVD88 (2009.55) GEOID12B Indicate elevation datum used for the elevations in items a) through h) below. ☑ NGVD 1929 ☐ NAVD 1988 ☐ Other Datum used for building elevations must be the same as that used for the BFE.  Check	☑ Finished Construction AH, AR/AO. Complete Items C2.a–h					
C1. Building elevations are based on:  Construction Drawings*  Building Under Construction*  *A new Elevation Certificate will be required when construction of the building is complete.  C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/A below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters.  Benchmark Utilized:  CPS OBSERVATIONS  Vertical Datum:  NAVD88 (2009.55) GEOID12B  Indicate elevation datum used for the elevations in items a) through h) below.  NGVD 1929  NAVD 1988  Other Check  A) Top of bottom floor (including basement, crawlspace, or enclosure floor)  Datum used for building elevations must be the same as that used for the BFE.	⊠ Finished Construction  AH, AR/AO. Complete Items C2.a–h  ther/Source:  the measurement used.  feet					
C1. Building elevations are based on:  Construction Drawings*  Building Under Construction*  *A new Elevation Certificate will be required when construction of the building is complete.  C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/A below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters.  Benchmark Utilized: GPS OBSERVATIONS  Vertical Datum: NAVD88 (2009.55) GEOID12B  Indicate elevation datum used for the elevations in items a) through h) below.  NGVD 1929  NAVD 1988  Other Datum used for building elevations must be the same as that used for the BFE.  Check  a) Top of bottom floor (including basement, crawlspace, or enclosure floor)  b) Top of the next higher floor  c) Bottom of the lowest horizontal structural member (V Zones only)	☐ Finished Construction  AH, AR/AO. Complete Items C2.a-h  ther/Source:  the measurement used.  ☐ feet ☐ meters  ☐ feet ☐ meters  ☐ feet ☐ meters					
C1. Building elevations are based on:  Construction Drawings*  Building Under Construction*  *A new Elevation Certificate will be required when construction of the building is complete.  C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/A below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters.  Benchmark Utilized: GPS OBSERVATIONS  Indicate elevation datum used for the elevations in items a) through h) below.  NGVD 1929  NAVD 1988  Other Datum used for building elevations must be the same as that used for the BFE.  Check  a) Top of bottom floor (including basement, crawlspace, or enclosure floor)  b) Top of the next higher floor  c) Bottom of the lowest horizontal structural member (V Zones only)  N/A.  d) Attached garage (top of slab)	⊠ Finished Construction  AH, AR/AO. Complete Items C2.a–h  ther/Source:  the measurement used.  feet					
C1. Building elevations are based on:  Construction Drawings*  Building Under Construction*  *A new Elevation Certificate will be required when construction of the building is complete.  C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/A below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters.  Benchmark Utilized: GPS OBSERVATIONS  Indicate elevation datum used for the elevations in items a) through h) below.  NGVD 1929  NAVD 1988  Other Datum used for building elevations must be the same as that used for the BFE.  Check  a) Top of bottom floor (including basement, crawlspace, or enclosure floor)  b) Top of the next higher floor  c) Bottom of the lowest horizontal structural member (V Zones only)  d) Attached garage (top of slab)  e) Lowest elevation of machinery or equipment servicing the building  (Describe type of equipment and location in Comments)	☐ Finished Construction  AH, AR/AO. Complete Items C2.a-h  ther/Source:  the measurement used.  ☐ feet ☐ meters  ☐ feet ☐ meters					
C1. Building elevations are based on:  Construction Drawings*  Building Under Construction*  *A new Elevation Certificate will be required when construction of the building is complete.  C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/A below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters.  Benchmark Utilized: GPS OBSERVATIONS  Indicate elevation datum used for the elevations in items a) through h) below.  NGVD 1929  NAVD 1988  OI Datum used for building elevations must be the same as that used for the BFE.  Check  a) Top of bottom floor (including basement, crawlspace, or enclosure floor)  b) Top of the next higher floor  c) Bottom of the lowest horizontal structural member (V Zones only)  d) Attached garage (top of slab)  e) Lowest elevation of machinery or equipment servicing the building  (Describe type of equipment and location in Comments)  f) Lowest adjacent (finished) grade next to building (LAG)  g) Highest adjacent (finished) grade next to building (HAG)	☐ Finished Construction  AH, AR/AO. Complete Items C2.a-h  Ther/Source:  the measurement used.  ☐ feet ☐ meters  ☐ feet ☐ meters					
C1. Building elevations are based on:  Construction Drawings*  Building Under Construction*  *A new Elevation Certificate will be required when construction of the building is complete.  C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/A below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters.  Benchmark Utilized: GPS OBSERVATIONS  Indicate elevation datum used for the elevations in items a) through h) below.  NGVD 1929  NAVD 1988  OI Datum used for building elevations must be the same as that used for the BFE.  Check  a) Top of bottom floor (including basement, crawlspace, or enclosure floor)  b) Top of the next higher floor  c) Bottom of the lowest horizontal structural member (V Zones only)  d) Attached garage (top of slab)  e) Lowest elevation of machinery or equipment servicing the building  (Describe type of equipment and location in Comments)  f) Lowest adjacent (finished) grade next to building (LAG)  g) Highest adjacent (finished) grade next to building (HAG)	Finished Construction  AH, AR/AO. Complete Items C2.a-h  ther/Source: the measurement used.  feet					
C1. Building elevations are based on:  Construction Drawings*  Building Under Construction*  *A new Elevation Certificate will be required when construction of the building is complete.  C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/A below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters.  Benchmark Utilized:  GPS OBSERVATIONS  Vertical Datum: NAVD88 (2009.55) GEOID12B  Indicate elevation datum used for the elevations in items a) through h) below.  NGVD 1929  NAVD 1988  Other Datum used for building elevations must be the same as that used for the BFE.  Check  a) Top of bottom floor (including basement, crawlspace, or enclosure floor)  b) Top of the next higher floor  c) Bottom of the lowest horizontal structural member (V Zones only)  d) Attached garage (top of slab)  e) Lowest elevation of machinery or equipment servicing the building  (Describe type of equipment and location in Comments)  f) Lowest adjacent (finished) grade next to building (LAG)  g) Highest adjacent (finished) grade next to building (HAG)  h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support  N/A.	Finished Construction   AH, AR/AO. Complete Items C2.a-h   Cher/Source:   the measurement used.   feet					
C1. Building elevations are based on:	Finished Construction   AH, AR/AO. Complete Items C2.a-h   Cher/Source:   the measurement used.   feet					
C1. Building elevations are based on:	Finished Construction   AH, AR/AO. Complete Items C2.a-h   Cher/Source:   the measurement used.   feet					
C1. Building elevations are based on:  "A new Elevation Certificate will be required when construction of the building is complete.  C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/A below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters.  Benchmark Utilized: GPS OBSERVATIONS  Indicate elevation datum used for the elevations in items a) through h) below.  Nevertical Datum:  NAVD88 (2009.55) GEOID12B  Indicate elevation datum used for the elevations in items a) through h) below.  NGVD 1929 NAVD 1988 Oid Datum used for building elevations must be the same as that used for the BFE.  Check  A) Top of bottom floor (including basement, crawlspace, or enclosure floor)  Datum used for the lowest horizontal structural member (V Zones only)  Attached garage (top of slab)  Describe type of equipment and location in Comments)  Describe type of equipment and location in Comments)  Lowest adjacent (finished) grade next to building (LAG)  Describe type of equipment and location of deck or stairs, including structural support  NAA-  SECTION D – SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATI  This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevatinformation. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.  Check here if comments are provided on back of form.  Vere latitude and longitude in Section A provided by licensed land surveyor?  Vere latitude and longitude in Section A provided by licensed land surveyor?  Never latitude and longitude in Section A provided by licensed land surveyor?  Decribier's Name	Finished Construction   AH, AR/AO. Complete Items C2.a-h   Cher/Source:   the measurement used.   feet					

IMPORTANT: In these spaces, copy the corresponding informati		_	NSURANCE COMPANY USE		
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. I 168 COMMERCE STREET	Route and B	ox No.		Policy	Number:
City GRETNA State	LA ZII	P Code 70	0056	Comp	any NAIC Number:
SECTION D – SURVEYOR, ENGINEER, OR	ARCHITE	CT CER	TIFICATION	(CONTIN	IUED)
Copy both sides of this Elevation Certificate for (1) community official, (2) insu	ırance agent	/company,	and (3) buildir	ng owner.	
Comments C2a-h: ELEVATIONS HAVE BEEN ADJUSTED BY 0.3' TO NGV NOTE: CENTER OF STREET ELEVATION= -4.1' NGVD C2e: A/C PAD	/D				
Signature MM	Date 11	-2-2015			
SECTION E - BUILDING ELEVATION INFORMATION (SURVE)	Y NOT REC	QUIRED)	FOR ZONE	AO AND	ZONE A (WITHOUT BFE)
For Zones AO and A (without BFE), complete Items E1–E5. If the Certificate is and C. For Items E1–E4, use natural grade, if available. Check the measurem E1. Provide elevation information for the following and check the appropriate grade (HAG) and the lowest adjacent grade (LAG).  a) Top of bottom floor (including basement, crawlspace, or enclosure) is	nent used. In e boxes to sl	Puerto Ri how wheth	ico only, enter er the elevatio	meters. n is above	
b) Top of bottom floor (including basement, crawlspace, or enclosure) is  E2. For Building Diagrams 6–9 with permanent flood openings provided in S (elevation C2.b in the diagrams) of the building is \omega feet feet feet feet feet feet feet fee	Section A Iter set	⊠ ms 8 and/o rs	feet ☐ meter or 9 (see pages ove or ☐ belo w the HAG. ☐ meters ☐ accordance wit	rs ☐ above o	ve or
SECTION F - PROPERTY OWNER (OR OW	/NER'S RE	PRESEN	ITATIVE) CE	RTIFICA	TION
The property owner or owner's authorized representative who completes Sect or Zone AO must sign here. The statements in Sections A, B, and E are correct				a FEMA-is	sued or community-issued BFE
Property Owner's or Owner's Authorized Representative's Name					
Address	City		Sta	ite	ZIP Code
Signature	Date		Tel	ephone	
Comments					☐ Check here if attachmer
SECTION G - COMMUNITY	INFORMA	TION (O	PTIONAL)		
e local official who is authorized by law or ordinance to administer the community his Elevation Certificate. Complete the applicable item(s) and sign below. Check	's floodplain the measure	managem ement used	ent ordinance of d in Items G8–0	can comple 310. In Pu	ete Sections A, B, C (or E), and erto Rico only, enter meters.
The information in Section C was taken from other documentation that is authorized by law to certify elevation information. (Indicate the source	e and date o	of the eleva	ation data in th	e Comme	nts area below.)
A community official completed Section E for a building located in Zone The following information (Items G4–G10) is provided for community flo				unity-issue	d BFE) or Zone AO.
G4. Permit Number G5. Date Permit Issued				Complianc	e/Occupancy Issued
This permit has been issued for: New Construction Substa	antial Improve	ement			
	·	feet	☐ meters	Datum	
BFE or (in Zone AO) depth of flooding at the building site:		feet	meters		
D. Community's design flood elevation:	_·	☐ feet	☐ meters	Datum	
Local Official's Name	Title		-		8
	Tolon	hone	1. 1	1	1
Community Name	relep	110110			
Community Name Signature	Date				

### **Building Photographs**

See Instructions for Item A6.

IMPORTANT: In these spaces, copy the corresponding information from Section A.

FOR INSURANCE COMPANY USE

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 168 COMMERCE STREET

Policy Number:

City GRETNA

State LA

ZIP Code 70056

Company NAIC Number:

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



FRONT VIEW



**REAR VIEW** 

#### **ELEVATION CERTIFICATE**, page 4

# Building Photographs Continuation Page

IMPORTANT: In these spaces, copy the corresponding information from Section A.

Building Street Address (including Apt., Unit, St	Policy Number:		
City GRETNA	State LA	ZIP Code 70056	Company NAIC Number:
submitting more photographs than will fith: date taken; "Front View" and "Rear Vieust show the foundation with representa	ew"; and, if required, "Right Side	View" and "Left Side Vie	w." When applicable, photographs
			į

FOR INSURANCE COMPANY USE